Data sheet

HP Color LaserJet Enterprise MFP M681 series



This HP Color LaserJet MFP merges performance, energy efficiency, and the deepest security.¹

This HP Color LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.



HP Color LaserJet Enterprise MFP M681dh



HP Color LaserJet Enterprise MFP M681f



HP Color LaserJet Enterprise Flow MFP M681f



HP Color LaserJet Enterprise Flow MFP M681z

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.®
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster—in as quickly as 8.9 seconds.⁷
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.9
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁴

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per color cartridge vs predecessor.⁴
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁵

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wist hp.com/go/PrintersThatProtect. For more information: hp.com/go/PrintersThatProtect. For more information: hp.com/go/Printersecurityclaims² Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/PrintersThatProtect. For more information: hp.com/go/PrintersChity Features. Learn more at the com/go/PrintersChity Features. Learn more at the com/go/PrintersChity Features. Learn more at depending on the system configuration, software application, driver, and document complexity. ⁴ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges not included; please purchase separately, ⁶ Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁷ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁸ HP Web Jetadmin is available for dwonload at no additional charge at hp.com/go/Webjetadmin.⁹ Energy claim based on TEC data reported on energystra. To avairy out and application and those as present to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.

- 14 - 15 - 16 - 17

- 18

Product walkaround

Product number	18A10A	184114	184124	184134
	Enterprise MFP M681dh	Enterprise MFP M681f	Enterprise Flow MFP M681f	Enterprise Flow MFF M681z
Model	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet	HP Color Laser Jet
Series at a glance		Fror	it view Cl	ose-up of I/O ports
				•
18. USB port for connecting external USB devices		•		
17. Hi-Speed USB 2.0 printing port		•	i	
16. Built-in Gigabit Ethernet	7 -	•	;	5-5-
15. Slot for cable-type security lock	-		'	
14. Fax port ^s				
 Lower-right door (access to print path) Front door access to toner cartridges 	6 -	•	1	5
11. 100-sheet multipurpose tray 1	5 -	Star visual in Star of Tage		
10. Pull-out keyboard				-
9. 8.0-inch (20.3 cm) icon-based color touchscree	en		(p)	13
8. 150-sheet ADF with single-pass, two-sided sc HP EveryPage⁴	4			12
7. 3x550-sheet paper feeder and stand ³				11
6. 550-sheet tray 2	3 -			
5. HP High-Performance Secure Hard Disk				10
4. Built-in automatic two-sided printing	2 -	· · ·		
3. 1,000-sheet 3-bin stapler/stacker with offset j (Flow z models only)	ob printing 1 -			9
 Easy-access USB port² 			0 mr mps 0 0 11104	

Model	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet
	Enterprise MFP	Enterprise MFP	Enterprise Flow MFP	Enterprise Flow MFP
	M681dh	M681f	M681f	M681z
Product number	J8A10A	J8A11A	J8A12A	J8A13A
Print speeds (LTR/A4) *Pages per minute (ppm)	Up to 50/47 ppm*			
Fax capabilities	Optional			
100-sheet tray 1, 550 - sheet tray 2			\checkmark	
550-sheet paper feeder	Optional (up to two) ⁷	Not available	Optional (up to two)	Not available
550-sheet paper feeder with stand and cabinet	Optional ⁷	Not available	Optional	
3x550-sheet paper feeder and stand	Optional ⁷	Not available	Optional	
1x550-sheet/2,000-sheet HCl feeder and stand	Optional ⁷	Not available	Optional	Not available
3-bin stapler/stacker with offset job printing	Not available	Not available	Not available	
Advanced workflow features including	Not available	Not available	\checkmark	\checkmark
pull-out keyboard				
Direct mobile printing	Optional wireless direct ⁷ /NFC ⁸			
Wireless networking	Optional ¹⁰	Optional ¹⁰	Optional ¹⁰	Optional ¹⁰

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Standard and optional paper-handling accessories vary by model. See Series at a glance table for details. ⁴ The pull-out keyboard and HP EveryPage are only available on the HP Color Laser Jet Enterprise Flow MFP M681 z and Flow MFP M681 z models. ⁵ Fax capability is optional on the HP Color Laser Jet Enterprise MP M681 don all other models. ⁶ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ All models come standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. In addition, the M681 dh can add up to two additional 550-sheet paper feeders; or, it can add one of the other accessories (S50-sheet paper feeders with stand and cabine; 3550-sheet paper feeder and stand, ⁶ Wi-Fi Direct printing is embedded in the HP Color Laser Jet Enterprise Flow MFP M682z model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer print print print printe print paper into printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct[®] supported MFP M682z with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. Tor more information, see hp.com/go/businessmobileprinting. ¹⁰ Bluetooth Low Energy is standard only on the HP Color Laser Jet Enterprise Flow MFP M682z, and it cannot be added to other models. Bluetooth[®] is a trademark owned by its proprietor and used by HP Inc. under license. ¹¹ All models can add wirele

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc



```
Compatible with
Windows®10
```









Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds up to 50 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence. $\!\!^4$

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm⁶—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories					
P1B09A	HP Color LaserJet 550-sheet Paper Feeder				
P1B10A	HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet				
P1B11A	HP Color LaserJet 3x550-sheet Paper Feeder with Stand				
P1B12A	HP Color LaserJet 1x550/2000-sheet Feeder and Stand				
J8031A	HP Jetdirect 2900nw Print Server				
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory				
F5S62A	HP Trusted Platform Module Accessory				
B5L28A	HP Internal USB Ports				
B5L31A HP Foreign Interface Harness					
E5K48A HP 1GB DDR3 x32 144-Pin 800MHz SODIMM					
CC487A	HP LaserJet MFP Analog Fax Accessory 500				
Supplies					
CF450A	HP 655A Black Original LaserJet Toner Cartridge (~12,500 yield)				
CF470X	HP 657X High Yield Black Original LaserJet Toner Cartridge (~28,000 yield)				
CF451A	F471X HP 657X High Yield Cyan Original Laser Jet Toner Cartridge (~23,000 yield)				
CF471X					
CF452A	HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 yield)				
CF472X					
CF453A	HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 yield)				
CF473X	3X HP 657X High Yield Magenta Original LaserJet Toner Cartridge (~23,000 yield)				
Services					
U9NP3E	HP 3 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NP6E	HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NX1PE	HP 1 year Post Wty NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP M68x				
U9NX3PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP M68x				

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurity.³ Bases equive additional purchase. A FutureSmart service pack update may be required to activate security features. Jean more at hp.com/go/printersecurity.³ Bases equive additional purchase. A FutureSmart service pack update may be required to activate security features. Jean more at hp.com/go/printercurity.³ Measured activates can be required to activate security features. The com/go/printersecurity.³ Measured activates can be required to activate security features. The com/go/printersecurity.³ Measured carticages claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges to included; please purchase separately. ⁶ Scan speed measured from ADT at default 300 dpi (black-and-white; grayscale; and color). Actual processing speeds may vary depending on the system configuration, software. ⁷ Measured after 15 min in sleep. ⁸ HP 657X High Yield Color Original care at the fault 300 dpi (black-and-white; grayscale; and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application, offware application, offware application, intervel and sublaced on EQ (dam based on EQ (da

HP Color LaserJet Enterprise MFP M681 series

Technical Specifications	HP Color LaserJet Enterprise MFP M681dh(J8A10A)	HP Color LaserJet Enterprise MFP M681f(J8A11A)	HP Color LaserJet Enterprise Flow MFP M681f(J8A12A)	HP Color LaserJet Enterprise Flow MFP M681z(J8A13A
MFP functions	Print, copy, scan; MFP multitasking supported: Yes	Print, copy, scan, fax; MFP multitasking supported: Yes	Print, copy, scan, fax; MFF	multitasking supported: Yes
Print speed	A4: Up to 47 ppm; Letter:	Up to 50 ppm black; Up to 47 ppm; Letter: Up to 50 ppm co	lor ¹¹ ; First Page Out Black: As fast as 6.5 sec; First Page Ou	Color: As fast as 6.5 sec ¹³
Print resolution		Black (best): Up to 1200 × 1200 dpi;		
Print Technology	Laser	; Print Resolution Technologies: HP ImageRet 3600; 600 × 6		prated
Print Cartridges Number			an, magenta, yellow)	
Standard Print Languages			Ilation, native PDF printing (v 1.7), URF (AirPrint)	1/20
Printer Smart Software Features Printer Management		review, duplex printing, print multiple pages per sheet (2, 4		
Scan Type / Technology	HP JetAdvantage Security M	anager; HP SNMP Proxy Agent; HP Web JetAdmin Software;		Tor HP Universal Print Driver
Scan Resolution			y: Charge Coupled Device (CCD)	
Scan File Format	Hardware: Up to 600 x 600 dpi; Digital Send: PDF. Hi-Compression PDF. JPEG. TIFF. MTIFF. XPS. PDF/A: Scan to easy access USB: PDF. JPEG. TIFF. MTIFF. Digital Send: PDF. Hi-Compression PDF. JPEG. TIFF. MTIFF. XPS. PDF/A. TEXT (0CR). Unicode TEXT (0CR).			VDS_DDE/A_TEXT (OCD) Unicodo TEXT (OCD) PTE (OCD
Starriteronnat		PDF, PS, Print Ready files (.prn, .pcl, .cht)	FF, Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), R Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JP MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (C (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Phint Ready files (pm, pd, cht)	
Scan Input Modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Mem	
Scan Size	ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147	7 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; Up to b to 83 ppm/167 ipm (color)	to ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color)	
ican Speed	Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (cc	lor) ¹⁸ ; Duplex: Up to 167 ipm (b&w), up to 167 ipm (color)	Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (co	lor) ¹⁸ ; Duplex: Up to 111 ipm (b&w), up to 111 ipm (colo
icanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Outp Auto detect color; Edge Erase; Job notifica	e adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi: color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets PDF, JPG, TIF, MTIF PDF, JPG, TIF, MTIF		ut quality setting; Selectable scan resolution 75 to 600 page suppression; HP Quick Sets; HP EveryPage; Auto cognition (OCR), Auto crop to page; Auto-tone
Bit depth / Grayscale levels			t/ 256	
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP, Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto C SL; Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page SL; Content; Compact PDF; Auto Tonescale; Auto Crientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page SL; Content; Compact PDF; Auto Tonescale; Auto Crientation; Multi-Pick Detect; Auto Straighten; A	
Copy Speed			Color (A4): Up to 47 cpm ¹⁵	
Copy Resolution			; Color (text and Graphics): Up to 600 × 600 dpi	
laximum Number of Copies			9999	
opier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to- (different media sizes)			
ax Speed		Up to: 33.6 kbps	Up to: 33	
ax Resolution		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi		
ax Smart Software Features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	itt; Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number conf Holiday fax schedule	
ax Features	contirmation; Holiday tax schedule Fax Memory; Up to 500 pages; Auto Fax Reduction Supported; Yes; Auto-Redialir			orted: Vas: Auto-Redialing: Vas: Fay Delayed Sending: No
		Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Jank Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	x Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Sug Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Su receive Remote Retrieval Capability Supported: No; Telephone Handset Supported: No Ifface	
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax	0T network; 1 Hardware Integration Pocket; 1 Fax	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server	(standard) which supports: 10Base-T, 100Base-Tx, 1000Ba (opti	ise-1; 802.3az (EEE) support on Fast Ethernet and Gig Links onal).	; IPsec (standard); 802.11a/b/g/n wireless networking
letwork Ready			Gigabit Ethernet)	
Vireless Capability	Option	al, enabled with purchase of HP Jetdirect 2900nw Print Ser		J8030A
Nobile Printing Capability			™-certified; Google Cloud Print 2.0	
Memory		MB (scanner); Maximum: 2.5 GB	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB	
Processor Speed	1.2 G	Hz / Hard disk: Standard, minimum 320 GB HP High-Perform		reater)
Duty Cycle		· · · · · ·	ended Monthly Page Volume: 2000 to 14,000	
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets standard; MP Tray: Up to 10 envelopes (or 10mm stack height) labels legal; Output Capacities: 500-sheet output tray, two-sided printing; Up to 500 sheets standard labels legal; Duplex Options: Automatic (Standard)Auto Document Feeder Capacity: Standard, 150 sheets: Envelope Feeder: No; Standard Paper Trays; 2: Media Typose Supported: Paper (Jain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, teard stack, card glossy, (olor transparency, labels, card stock, card glossy, (olor transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined: MediaWeight Supported: Tray 1: 16 to 58 lb (glossy); Media Sizes Supported: Tray 1: 16 to 58 lb (glossy); Media Sizes Supported: Tray 1: 16 to 58 lb (glossy); Tag 2: 16 to 90 lb (plain) 32 to 58 lb, (statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in, Optional 500-sheet trays: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays: letter, legal; Media Sizes Custom: Tray 1: 3 x 50 & 54 x 14 in; roptional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; (roptional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; (roptional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; (roptional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-Sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 7.5 x 5.8 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 7.5 x 5.8 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 7.5 x 5.8 x 14 in; Optional 250-sheet trays: 4 x 5.83 to 7.5 x 5.8 x 14 in; Optional 250-sheet trays: 4 x 5.8 x 14 in; Optional 250-sheet trays: 4 x 5.	Input Capacities: 100-sheet multi-purpose tray, 550- sheet input trays 2, 3, 150-sheet automatic document feeder; Up to 1200 sheets standard; MP Tray: Up to 10 envelopes (or 10mm stack height) labels legal: Output Capacities: 500-sheet output tray, two-sided printing; Up to 500 sheets standard labels legal: Duplex Options: Automatic (Standard)Auto Document Feeder Capacity: Standard, 150 sheets: Envelope Feeder: No: Standard Paper Trays: 3; Media Types Supported: Paper (plan, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy (soltsy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined: Media Weight Supported: Tray 1: 16 to 58 lb (glossy); Trays 2, 3: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3: 16 to 90 lb (plain) 32 to 58 lb (glossy); Statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x 14 in	Input Capacities: 100-sheet multi-purpose tray, 550- sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets standard; MP Tray: Up to 10 envelopes (or 100m stack height) labels legal: Output Capacities: 500-sheet output tray, two-sided printing: Up to 500 Sheets standard labels legal; Duplex Options: Automatic Iscandard)Auto Document Feeder Capacity: Standard, 150 sheets; Envelope Feeder: No: Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy, Color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported: Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (slossy); Tray 1: 16 to 58 lb (gloss); 7 k 31 in, Optional 550-sheet tray: letter, legal, executive, statement, Oftiod, 4 x 6 in, 5 x 7 in, 5 x 51 in Optional 550-sheet trays: letter, legal; Keda Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Optional 2000-sheet high-capacity tray: customs rizes not supported in this tray	Input Capacities: 100-sheet multi-purpose tray, 550 sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets standard; MP Tr Up to 10 envelopes (or 10mm stack height) labels leg Output Capacities: 500-sheet output tray, 500 shee output stapler stacker, two-sided printing; Up to 1.00 sheets standard labels legd. Duplex Options: Automa (standard)Auto Document Feeder Capacity: Standard 150 sheets; Emelope Feeder No; Standard Paper Tra 5: Media Types Supported: Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heta glossy, extra heavy, extra heavy glossy, cardistotck, ca glossy), color transparency, labels, letterhead, envelo breprinted, media Weight Supported: Tray 1: 16 to 10 (b (plain) 32 to 58 lb (glossy); Media Supe Supported: Tra 1: letter, legal, executive, statement, Oficio, 3 x Sin, 4 m, 5 x X in, 5 x 8 in, envelopes (No. 9), No. 10, Monard Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 3 x Sin, 4 x 6 in, 5 x 7 in, 5 x 8 in, <i>Media Stase</i> Supported: Tra 5 to 8.5 x 14 in; Trays 2, 3, 4, 5: 4 x 5.83 to 8.5 x 14 in

HP Color LaserJet Enterprise MFP M681 series

Technical Specifications	HP Color Laser Jet Enterprise MFP M681dh(J8A10A)	HP Color LaserJet Enterprise MFP M681f(J8A11A)	HP Color LaserJet Enterprise Flow MFP M681f(J8A12A)	HP Color LaserJet Enterprise Flow MFP M681z(J8A13A)	
Product Dimensions	W x D x H: 20.08 x 21.85 x 25.91 in; 510 x 555 x 658 mm Maximum: 37.91 x 30.31 x 35.83 in; 963 x 770 x 910 mm	W x D x H: 25.87 x 25.87 x 43.62 in; 657 x 657 x 1108 mm Maximum: 39.06 x 37.32 x 53.54 in; 992 x 948 x 1360 mm	W x D x H: 20.08 x 21.85 x 25.91 in; 510 x 555 x 658 mm Maximum: 37.91 x 30.31 x 35.83 in; 963 x 770 x 910 mm	W x D x H: 25.87 x 25.87 x 50.00 in; 657 x 657 x 1270 mm Maximum: 39.06 x 38.07 x 60.20 in; 992 x 967 x 1529 mm	
Product Weight	42.3 kg ³ ; 93.2 lb ⁴	61.5 kg ³ ; 135.4 lb ⁴	42.8 kg ³ ; 94.4 lb ⁴	76.3 kg ³ ; 168.1 lb ⁴	
What's in the box	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ²				
Warranty Features	One-year, next-business day, onsite warranty. Warranty		gal requirements. Go to http://hp.com/support to learn abo gion.	ut HP award winning service and support options in your	
Energy Efficiency Compliance	ENERGY STAR [®] qualified; Blue Angel; CECP; EPEAT [®] Silver		ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver	ENERGY STAR [®] qualified; Blue Angel; CECP; EPEAT [®] Silver; EPEAT [®] Gold (Options AAZ, 201)	
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard button (for quick return to the Home menu)				
Display Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)				
Software Included	HP Connected, HP Device Experience (DXP), HP PCL	6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Ma	ac OS Welcome Screen (Directs users to 123.HP.com or OS A	pp Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.7, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10), 15.00				
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix kenApp 5.0 (Fitrix kenApp 5.5) (Fitrix ke				
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info				
Power	PowerSupplyType: Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); PowerRequirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 61, PowerConsumption: 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (sleep)				
Acoustics	off - typical Electricity Conservation (Conservation Conservation) - Data Finger (Deep Mode) - OF Wetts				
Operating Environment	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17.5 to 25°C; Storage Temperature Range: -20 to 40°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH				
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; an Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (LAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Rec Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Sout - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs				

¹ EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.hepeat.net for registration status by country. ² Cartridges included; yields 10,500 color (C/V/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. ³ With print cartridges ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. ⁶ Power requirements are based on the term for its sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. ¹ Based on the ATE Cmethod with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ⁸ Average color composite (C/M/Y) and black declared yields based on images printed and other factors. For measurement of 115V device. ¹ Based on the system configuration, software opprinter value typically based on images printed and other factors. For more information with thtp://www.hp.com/go/learnaboutsupplies ⁹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information see http://www.hp.com/go/learnaboutsupplies ⁹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information see http://www.hp.com/go/learnaboutsupplies ⁹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information see http://www.hp.com/go/learnaboutsupplies ¹⁰ Tarsze-Diski ¹¹ Measured using ISO/I

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR logo are registered U.S. marks. Windows is a registered trademarks of Microsoft Corporation. Air/Print, IPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countrie

