

Color LaserJet Enterprise M750xh

Print large-volumes of professional-quality color documents on a wide range of paper sizes. Maintain productivity with intuitive, easy-to-use management tools. Conveniently print directly from laptop PCs, smartphones or tablets.¹

Print speed: 4 Up to 30 ppm black (normal, letter); Up to 30 ppm color (normal,

HP ePrint capability: Yes

Connectivity: 1 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit

Ethernet 10/100/1000T network, 2 Internal USB Host

Paper handling: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing, 300-sheet output bin Print languages: HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™

Duty cycle (monthly):5 Up to 120,000 pages





Enable color printing from postcards to posters.

- Print on a wide variety of paper sizes—from 3 x 5-inch postcards to 12.6 x 17.72-inch SRA3 media.
- · Produce high-volume print jobs without frequent paper changes with a paper capacity of 2350 sheets.
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- · Increase efficiency and versatility with automatic two-sided




- Print documents rapidly—up to 30 ppm letter/A4.3
- · Achieve sharp contrast and vivid color with the high-gloss toner in Original HP LaserJet print cartridges.

Count on a printer that is easy to use and manage.

- Enable easy printing from smartphones, tablets and laptops at work, home, or on-the-go.1
- Easily integrate enterprise-ready gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control color printing usage and costs.
- · Print quickly and easily using the convenient easy access USB port. And safeguard important data with an HP High-Performance Secure Hard Disk.

Minimize your environmental impact.

- · Reduce packaging waste with pre-installed toner cartridges—no boxes, wrappers or manuals.
- Reduce your impact on the environment and use up to 50 percent less paper with automatic two-sided printing.
- Get easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.2
- · Reduce the impact of shipping materials with HP ClearView packaging.



HP EcoSolutions

- Reduce energy use with Instant-on Technology.1
- Avoid reprints with the consistency of Original HP toners plus HP Professional Color Technologies.
- Convenient cartridge recycling in 53 countries.
- Reduce paper use by up to 50% using automatic two-sided printing.

ENERGY STAR® qualified

Join HP in more sustainable printing www.hp.com/ecosolutions

¹Compared with traditional fusing.



Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprintingfor more details. Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit hp.com/recycle. 3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 4Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.













HP Color LaserJet Enterprise M750xh

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICAT	TONS
Duplex print options	Automatic (standard)
Print speed¹	Black (normal, letter): Up to 30 ppm; Color (normal, letter): Up to 30 ppm; First page out: As fast as 10 sec black and color
Print resolution	Black (best): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi
Print technology	Laser
Print resolution technologies	HP ImageREt 3600
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Printer smart software features	HP ePrint, Open Extensibility Platform, FutureSmart Firmware, HP Easy Color, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs
Mobile printing capability ²	HP ePrint, Apple AirPrint™
Standard print languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™
Printer management	HP Web Jetadmin; HP Utility (Mac)
Hard Disk	Standard, 320 GB with encryption
Standard connectivity	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
Wireless capability	Optional, enabled with purchase of a HW accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A
Network ready	Standard (built-in Gigabit Ethernet)
Memory	Standard/Maximum: 1 GB
Processor speed	800 MHz
Duty cycle (monthly) ³	Up to 120,000 pages
Rec. monthly page volume ⁴	Up to 2,500 to 13,000 pages
Paper handling	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing, 300-sheet output bin Input capacity: Up to 2350 sheets, Up to 10 envelopes Output capacity: Up to 300 sheets, Up to 40 envelopes
Media type	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies
Media weight	Tray 1: 16 to 58 lb (60 to 220 g/m^2) bond; Trays 2, 3, 4, 5, 6: up to 32 lb (60 to 120 g/m^2) plain papers, up to 43 lb (160 g/m^2) coated papers
Media sizes custom	Tray 1: 3 x 5 to 12.6 x 18.5 in (76 x 127 to 320 x 470 mm); Trays 2, 3, 4, 5, 6: 5.8 x 8.3 to 11.7 y 17 in (148 x 211 to 297 x 432 mm)
Media sizes standard	Tray 1: Statement, 3×5 index card, 4×6 index card, 5×7 index card, 5×8 index card, Letter, Letter-R, Legal, Executive, 11×17 in; 8.5×13 , 12×18 , Envelopes: #9, #10, Monarch; Tray 2, 3 4, 5, 6: Letter, Letter-R, Legal, Executive, 8.5×13 , 11×17 in
Dimensions (W x D x H)	30 x 27 x 35 in (745 x 688 x 885 mm); Max: 33 x 38.5 x 35 in (840 x 975 x 885 mm)
Weight	182.6 lb (83 kg)
What's in the box	HP Color LaserJet Enterprise M750xh printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; HP Color LaserJet 500 sheet feeder tray 4, 5, 6; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); power cord
Replacement cartridges ^s	HP 650A Black LaserJet Toner Cartridge (~13,500 pages), CE270A HP 650A Cyan LaserJet Toner Cartridge (~15,000 pages), CE271A HP 650A Yellow LaserJet Toner Cartridge (~15,000 pages), CE272A HP 650A Magenta LaserJet Toner Cartridge (~15,000 pages), CE273A
Warranty features	One-year, next-business day, onsite warranty
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript leve 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Compatible operating systems	Windows 8 (32-bit/64-bit); Windows 7 (SP1 or higher) (32-bit/64-bit); Windows Vista (32-bit/64-bit); Windows Vista Ready; Windows XP (SP3 or higher) (64-bit); Windows XP (SP3 or higher) Rome; Windows XP (SP3 or higher) Porfessional; Windows 2000; Windows Server 2012 (64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003 (SP2 or higher) (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003 (SP2 or higher) (SP3 XP1 (SP3 VI) (SP3 VII) (SP3 VI) (SP3 VII) (SP3 VIII) (SP3 VIII

Minimum system requirements	Pt: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (60-bit), Windows Server 2008 R2 (60-R0M or DVD drive or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see microsoft.com; Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-R0M or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see apple.com
Control panel	2.03" (5.2 cm), 4-line Color Graphic Display (CGD) & control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover
Display	2.03" (5.2 cm), 4-line Color Graphic Display (CGD)
Power	Power supply type: Built-in power supply Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier) Power consumption*: 677.41 watts (printing b&w), 654.92 watts (printing color), 59.46 watts (ready), 9.09 watts (sleep), 0.35 watts (off)
Acoustics	Acoustic power emissions: 6.7 B(A) Acoustic power emissions (ready): 5.0 B(A) Acoustic pressure emissions bystander (active, printing): 50 dB(A) Acoustic pressure emissions bystander (ready): 33 dB(A)
Software included	HP PCL 6 Discrete Printer Driver; Mac SW Link to Web (Mac Installer); Windows Installer
Operating environment	Operating temperature range: 59 to 81° F (15 to 27° C) Recommended operating temperature range: 63 to 77° F (17 to 25° C) Storage temperature range: 21 to 95° F (0 to 35° C) Non-Operating humidity range: 10 to 90% RH Operating humidity range: 10 to 70% RH Recommended operating humidity range: 30 to 70% RH
Security management	Advanced Security: Management security: SNMPv3, SSL/TLS (HTTPS), WPA2-Enterprise, 802.1X Authenitication (EAP-PEAP, EAP-TLS), IPSec/Firewall with Kerberos, Certificate, and PreShared Key Authentication
Accessories	HP Color LaserJet 500-sheet Paper Tray, CE860A HP Color LaserJet 3x500-sheet Paper Feeder and Stand, CE725A HP Jetdirect 2700w USB Wireless Print Server, J8026A HP Jetdirect 300x Print Server for Fast Ethernet, J3263G
HP Services and Support Options	HP 3-year Next Business Day + DMR Color Laserjet M750 Support, UX963E HP 4-year Next Business Day + DMR Color Laserjet M750 Support, UX889E HP 5-year Next Business Day + DMR Color Laserjet M750 Support, UX880E HP 3-year 4h9x5 Color Laserjet M750 Hardware Support, UX965E HP 4-year 4h9x5 Color Laserjet M750 Hardware Support, UX281E HP 5-year 4h9x5 Color Laserjet M750 Hardware Support, UV281E HP 5-year 4h9x5 Color Laserjet M750 Hardware Support, UV282E HP 2-year Post Warranty Next Business Day Color Laserjet M750 Hardware Support, UV268PE HP 1-year Post Warranty Next Business Day + DMR Color Laserjet M750 Support, UV270PE HP 1-year Post Warranty A h9x5 Color Laserjet M750 Hardware Support, UV272PE HP Network Install mid-high Color Laserjet SVC , H2872E

For more information visit our website at hp.com

HP Color LaserJet Enterprise M750xh Product Number: D3L10A

 ${\tt ENERGY\,STAR}^{\circ}\, qualified\, models; see: \textbf{hp.com/go/energystar}.$

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Requires an Internet connection to the printer. Feature works with any connected internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad[®], iPad[®] 2, iPhone [®] (3GS or later), iPod touch [®] (3rd generation or later). Works with HP's AirPrint[™] enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple' Inc., registered in the U.S. and other countries. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 30 ppm

